

00862.021843.



PATENT

Cole \$

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of:)
KAZUTAKA MATSUEDA) Examiner: T. Pham
Appl. No.: 09/512,358) Group Art Unit: 2624
Filed: February 24, 2000)
For: PRINT SERVER APPARATUS,)
INFORMATION PROCESSING)
APPARATUS AS CLIENT,)
PRINT MANAGING METHOD)
FOR THESE APPARATUSES,)
AND STORAGE MEDIUM)
U.S. Patent No.: 6,985,243 B1)
Issued: January 10, 2006) March 6, 2007

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Certificate

MAR 09 2007

of Correction

REQUEST FOR
CERTIFICATE OF CORRECTION
UNDER RULES 322 AND 323

Sir:

It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to errors which appear in the printed patent as a result of Patent and Trademark Office mistakes, and mistakes of a clerical, typographical, or minor character, which were not the fault of the Patent and Trademark Office. A Certificate of Correction form, in duplicate, is enclosed.

Accompanying this letter is a check for \$100.00 to cover the statutory fee for such Certificate of Correction.

03/07/2007 SZEWDIE1 00000089 6985243

01 FC:1811

100.00 0P

MAR - 9 2007

Patentee's undersigned attorney may be reached in our Costa Mesa, California office by telephone at (714) 540-8700. All correspondence should continue to be directed to our address given below.

Respectfully submitted,



Frank L. Cire
Attorney for Patentee
Registration No.: 42,419

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
Facsimile: (212) 218-2200

CA_MAIN 121963v1

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 6,985,243 B1

DATED : January 10, 2006

INVENTOR(S) : Kazutaka Matsueda

Page 1 of 12

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 8:

Line 23, "data indicative" should read -- data is indicative --.

COLUMN 9:

Lines 60 and 66, "is" should be deleted.

COLUMN 13:

Claim 1 should read:

1. A server apparatus adapted to communicate with at least one client, each client including an image storage unit having a spool function, the image storage unit for storing print data of a print job, and a printer via a network, comprising:

 image storage means for storing the print data of the print job to be executed according to a print request from a client;

 order management means for managing a print order of the print job to be executed according to the print request from the client;

 transmission means for transmitting transmission permission information to the client based on the print order managed by said order management means, the transmission permission information indicating that the print data may be transmitted to said printer, such that the client directly transmits the print data to the printer without intervention of the server apparatus if the spool function of the image storage unit of said client is selected by a user;

 determination means for determining whether a message, which indicates that the printing process of the print data has finished, is received from the client within a predetermined time in response to the transmission permission information; and

 control means for transmitting the print data of the print job of the print order from said image storage means instead of the client to the printer when said determination means determines that the message is not received.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,985,243 B1

No. of add'l. copies
@ 30¢ per page

MAR - 9 2007

→ _____

... - a 2007

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

Staple
Here
Only!

PRINTER'S TRIM LINE

PATENT NO. : 6,985,243 B1
DATED : January 10, 2006
INVENTOR(S) : Kazutaka Matsueda

Page 2 of 12

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 14:

Line 35, "which" should read -- with --;

Claim 4 should read:

4. A print managing method for a server apparatus adapted to communicate with at least one client, each client including an image storage unit having a spool function, the image storage unit for storing print data of a print job, and a printer via a network, comprising:

an image storage step of storing print data of a print job, to be executed according to a print request from a client, in image storage means;

an order management step of managing a print order of the print job to be executed according to the print request from the client;

a transmission step of transmitting transmission permission information to the client based on the print order managed at said order management step, the transmission permission information indicating that the print data may be transmitted to the printer, such that the client directly transmits the print data to the printer without intervention of the server apparatus if the spool function of the image storage unit of said client is selected by a user;

a determination step of determining whether a message, which indicates that the printing process of the print data has finished is received from the client within a predetermined time in response to the transmission permission information; and

a control step of transmitting the print data of the print job of the print order from the image storage means instead of the client to the printer when it is determined in said determination step that the message is not received.

Claim 7 should read:

7. A computer readable storage medium storing a program for implementing a print managing method for a server apparatus adapted to communicate with at least one client, each client including an image storage unit having a spool function, the image storage unit for storing print data of a print job, and a printer via a network, wherein the method comprises:

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,985,243 B1

No. of add'l. copies
@ 30¢ per page

MAR - 9 2007.

→ _____

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,985,243 B1
DATED : January 10, 2006
INVENTOR(S) : Kazutaka Matsueda

Page 3 of 12

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

an image storage step of storing print data of a print job, to be executed according to a print request from the client, in image storage means;

an order management step of managing a print order of the print job to be executed according to the print request from the client;

a transmission step of transmitting transmission permission information to the client based on the print order managed at said order management step, the transmission permission information indicating that the print data may be transmitted to the printer, such that the client directly transmits the print data to the printer without intervention of the server apparatus if the spool function of the image storage unit of said client is selected by a user;

a determination step of determining whether a message which indicates that the printing process of the print data stored in the image storage unit has finished is received from the client within a predetermined time in response to the transmission permission information; and

a control step of transmitting the print data of the print job of the print order from the image storage means instead of the client to the printer when it is determined in said determination step that the message is not received.

Claim 8 should read:

8. An information processing apparatus as a client, including a storage unit having a spool function, that communicates with a server apparatus, which manages a print order and has a spool unit for storing print data, and a printer via a network, comprising:

sending means for sending job information, which does not include print data, to the server apparatus so that the server apparatus manages a print order according to the job information;

image storage means for storing print data of a print job corresponding to the job information so that the information processing apparatus may directly transmit the print data to the printer without intervention of the server apparatus if the spool function of the image storage unit of said client is selected by a user;

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,985,243 B1

No. of add'l. copies
@ 30¢ per page

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

Staple
Here
Only!

PRINTER'S TRIM LINE

PATENT NO. : 6,985,243 B1

DATED : January 10, 2006

INVENTOR(S) : Kazutaka Matsueda

Page 4 of 12

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

selection means for causing a user to select one of a spool function of said image storage means and a spool function of the server apparatus via a user interface, which is adapted to store the print data of the print job to be executed according to the print request to the server apparatus;

determination means for determining whether the spool function of said image storage means is selected or the spool function of the server apparatus is selected by said selection means;

control means for, if it is determined by said determination means to use the spool function of the server apparatus, transmitting the print data to the server apparatus, whereas, if it is determined by said determination means to use the spool function of said image storage means, controlling said image storage means to store the print data and controlling said sending means to send the job information;

receiving means for receiving transmission permission information from the server apparatus indicating that the print data may be transmitted to the printer when the print data is stored in said image storage means; and

transmission means for transmitting the print data to the printer when said receiving means receives the transmission permission information from the server apparatus.

COLUMN 15:

Claim 11 should read:

11. A print managing method for an information processing apparatus as a client, including a storage unit having a spool function, that communicates with a server apparatus, which manages a print order and has a spool unit for storing print data, and a printer via a network, comprising:

a sending step of sending job information, which does not include print data, to the server apparatus so that the server apparatus manages a print order according to the job information;

an image step of storing print data of a print job corresponding to the job information so that the information processing apparatus may directly transmit the print data to the printer

MAILING ADDRESS OF SENDER:

PATENT NO. 6,985,243 B1

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

No. of add'l. copies
@ 30¢ per page

MAR - 9 2007



UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,985,243 B1
DATED : January 10, 2006
INVENTOR(S) : Kazutaka Matsueda

Page 5 of 12

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

without intervention of the server apparatus if the spool function of the image storage unit of said client is selected by a user;

a selection step of causing a user to select one of a spool function of said image storage means and a spool function of the server apparatus via a user interface, which is adapted to store the print data of the print job to be executed according to the print request to the server apparatus;

a determination step of determining whether the spool function of said image storage means is selected or the spool function of the server apparatus is selected by said selection means;

a control step of, if it is determined by said determination means to use the spool function of the server apparatus, transmitting the print data to the server apparatus, whereas, if it is determined by said determination means to use the spool function of said image storage means, controlling said image storage means to store the print data and controlling said sending means to send the job information;

a receiving step of receiving transmission permission information from the server apparatus indicating that the print data may be transmitted to the printer when the print data is stored in said image storage means; and

a transmission step for transmitting the print data to the printer when said receiving means receives the transmission permission information from the server apparatus.

COLUMN 16:

Claim 14 should read:

14. A computer readable medium storing a program for implementing a print managing method for an information processing apparatus as a client, including a storage unit having a spool function, that communicates with a server apparatus, which manages a print order and has a spool unit for storing print data, and a printer via a network, comprising:

a sending step of sending job information, which does not include print data, to the server apparatus so that the server apparatus manages a print order according to the job information;

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,985,243 B1

No. of add'l. copies
@ 30¢ per page

MAR - 9 2007



UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,985,243 B1
DATED : January 10, 2006
INVENTOR(S) : Kazutaka Matsueda

Page 6 of 12

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

an image step of storing print data of a print job corresponding to the job information so that the information processing apparatus may directly transmit the print data to the printer without intervention of the server apparatus if the spool function of the image storage unit of said client is selected by a user;

a selection step of causing a user to select one of a spool function of said image storage means and a spool function of the server apparatus via a user interface, which is adapted to store the print data of the print job to be executed according to the print request to the server apparatus;

a determination step of determining whether the spool function of said image storage means is selected or the spool function of the server apparatus is selected by said selection means;

a control step of, if it is determined by said determination means to use the spool function of the server apparatus, transmitting the print data to the server apparatus, whereas, if it is determined by said determination means to use the spool function of said image storage means, controlling said image storage means to store the print data and controlling said sending means to send the job information;

a receiving step of receiving transmission permission information from the server apparatus indicating that the print data may be transmitted to the printer when the print data is stored in said image storage means; and

a transmission step of transmitting the print data to the printer when said receiving means receives the transmission permission information from the server apparatus.

COLUMN 17:

Claim 15 should read:

15. An information processing apparatus as a client including an image storage unit having a spool function, that communicates with a server apparatus, which manages a print order and has a spool unit for storing print data, and a printer via a network, comprising:

image storage means for storing print data of a print job to be executed according to a print request so that the information processing apparatus directly transmits the print data to

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,985,243 B1

No. of add'l. copies
@ 30¢ per page

MAR - 9 2007



UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,985,243 B1

DATED : January 10, 2006

INVENTOR(S) : Kazutaka Matsueda

Page 7 of 12

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

the printer without intervention of the server apparatus if the spool function of the said client is selected by a user;

determination means for determining to use one of a spool function of said image storage means and a spool function of the server apparatus based on a condition of said image storage means, the spool function being adapted to store the print data of the print job to be executed according to the print request to the server apparatus;

control means for, if said determination means determines to use the spool function of the server apparatus, transmitting the print data to the server apparatus, such that the server apparatus directly transmits the print data to the printer, whereas, if said determination means determines to use the spool function of said image storage means, controlling said image storage means to store the print data;

receiving means for receiving transmission permission information from the server apparatus indicating the print data may be transmitted to the printer when the print data is stored in said image storage means; and

transmission means for transmitting the print data to the printer when said receiving means receives the transmission permission information from the server apparatus.

Claim 18 should read:

18. A print managing method for an information processing apparatus as a client including an image storage unit having a spool function, that communicates with a server apparatus, which manages a print order and has a spool unit for storing print data, and a printer via a network, comprising:

an image storage step of storing print data of a print job to be executed according to a print request so that the information processing apparatus directly transmits the print data to the printer without intervention of the server apparatus, in image storage step, if the spool function of the said client is selected by a user;

a determination step of determining to use one of a spool function of said image storage step and a spool function of the server apparatus based on a condition of said image

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,985,243 B1

No. of add'l. copies
@ 30¢ per page

MAR - 9 2007

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO. : 6,985,243 B1

DATED : January 10, 2006

INVENTOR(S) : Kazutaka Matsueda

Page 8 of 12

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

storage step, the spool function being adapted to store the print data of the print job to be executed according to the print request to the server apparatus;

a control step of, if said determination step determines to use the spool function of the server apparatus, transmitting the print data to the server apparatus, such that the server apparatus directly transmits the print data to the printer, whereas, if said determination step determines to use the spool function of said image storage means, controlling said image storage step to store the print data;

a receiving step of receiving transmission permission information from the server apparatus indicating the print data may be transmitted to the printer when the print data is stored in said image storage step; and

a transmission step of transmitting the print data to the printer when said receiving step receives the transmission permission information from the server apparatus.

COLUMN 18:

Claim 21 should read:

21. A computer readable medium storing a program for implementing a print method for an information processing apparatus as a client including an image storage unit having a spool function, that communicates with a server apparatus, which manages a print order and has a spool unit for storing print data, and a printer via a network, comprising:

an image storage step of storing print data of a print job to be executed according to a print request so that the information processing apparatus directly transmits the print data to the printer without intervention of the server apparatus, in image storage means, if the spool function of the said client is selected by a user;

a determination step of determining to use one of a spool function of said image storage step and a spool function of the server apparatus based on a condition of said image storage step, the spool function being adapted to store the print data of the print job to be executed according to the print request to the server apparatus;

a control step of, if said determination step determines to use the spool function of the server apparatus, transmitting the print data to the server apparatus, such that the server

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,985,243 B1

No. of add'l. copies
@ 30¢ per page

MAR - 9 2007



UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

Staple
Here
Only

PRINTER'S TRIM LINE

PATENT NO. : 6,985,243 B1
DATED : January 10, 2006
INVENTOR(S) : Kazutaka Matsueda

Page 9 of 12

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

apparatus directly transmits the print data to the printer, whereas, if said determination step determines to use the spool function of said image storage step, controlling said image storage step to store the print data;

a receiving step of receiving transmission permission information from the server apparatus indicating the print data may be transmitted to the printer when the print data is stored in said image storage step; and

a transmission step of transmitting the print data to the printer when said receiving means receives the transmission permission information from the server apparatus.

Claim 22 should read:

22. An information processing apparatus as a client including an image storage unit having a spool function, that communicates with a server apparatus, which manages a print order and has a spool unit for storing a print job and intermediate data of the print job, and a printer via a network, comprising:

image storage means for storing the print job and the intermediate data of the print job to be executed according to a print request such that the information processing apparatus directly transmits the print job to the printer without intervention of the server apparatus if the spool function of the said client is selected by a user;

list acquisition means for acquiring a list of print jobs managed by the server apparatus;

job designation means for designating a print job to be previewed based on the list of print jobs acquired by said list acquisition means;

determination means for determining whether the intermediate data of the print job designated by said job designation means is stored in said image storage means or in the spool unit of the server apparatus;

intermediate data acquisition means for, if it is determined by said determination means that the intermediate data of the print job designated by said job designation means is stored in said image storage means, reading the intermediate data from said image storage means, whereas, if it is determined by said determination means that the intermediate data is

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,985,243 B1

No. of add'l. copies
@ 30¢ per page

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,985,243 B1

DATED : January 10, 2006

INVENTOR(S) : Kazutaka Matsueda

Page 10 of 12

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

stored in the server apparatus, downloading the intermediate data from the server apparatus; and;

control means for displaying a preview image based on the intermediate data acquired by said intermediate data acquisition means.

COLUMN 19:

Claim 26 should read:

26. A print managing method for an information processing apparatus as a client including an image storage unit having a spool function, that communicates with a server apparatus, which manages a print order and has a spool unit for storing a print job and intermediate data of the print job, and a printer via a network, comprising:

an image storage step of storing the print job and the intermediate data of the print job to be executed according to a print request such that the information processing apparatus directly transmits the print job to the printer without intervention of the server apparatus if the spool function of the said client is selected by a user;

a list acquisition step of acquiring a list of print jobs managed by the server apparatus;

a job designation step of designating a print job to be previewed based on the list of print jobs acquired by said list acquisition means;

a determination step of determining whether the intermediate data of the print job designated by said job designation step is stored in said image storage step or in the spool unit of the server apparatus;

an intermediate data acquisition step of, if it is determined by said determination step that the intermediate data of the print job designated by said job designation step is stored in said image storage step, reading the intermediate data from said image storage step, whereas, if it is determined by said determination step that the intermediate data is stored in the server apparatus, downloading the intermediate data from the server apparatus; and

a control step of displaying a preview image based on the intermediate data acquired by said intermediate data acquisition step.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,985,243 B1

No. of add'l. copies
@ 30¢ per page

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,985,243 B1

DATED : January 10, 2006

INVENTOR(S) : Kazutaka Matsueda

Page 11 of 12

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 20:

Claim 30 should read:

30. A computer readable storage medium storing a program for implementing a print managing method for an information processing apparatus as a client including an image storage unit having a spool function, that communicates with a server apparatus, which manages a print order and has a spool unit for storing a print job and intermediate data of the print job, and a printer via a network, comprising:

an image storage step of storing the print job and the intermediate data of the print job to be executed according to a print request such that the information processing apparatus directly transmits the print job to the printer without intervention of the server apparatus if the spool function of the said client is selected by a user;

a list acquisition step of acquiring a list of print jobs managed by the server apparatus;

a job designation step of designating a print job to be previewed based on the list of print jobs acquired by said list acquisition step;

a determination step of determining whether the intermediate data of the print job designated by said job designation step is stored in said image storage step or in the spool unit of the server apparatus;

an intermediate data acquisition step of, if it is determined by said determination step that the intermediate data of the print job designated by said job designation step is stored in said image storage step, reading the intermediate data from said image storage step, whereas, if it is determined by said determination step that the intermediate data is stored in the server apparatus, downloading the intermediate data from the server apparatus; and

a control step of displaying a preview image based on the intermediate data acquired by said intermediate data acquisition step.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,985,243 B1

No. of add'l. copies
@ 30¢ per page

MAR - 9 2007

→ _____

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,985,243 B1

DATED : January 10, 2006

INVENTOR(S) : Kazutaka Matsueda

Page 12 of 12

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 22:

Line 9, "data" should read -- information --.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,985,243 B1

No. of add'l. copies
@ 30¢ per page

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

Staple
Here
Only!

PRINTER'S TRIM LINE

PATENT NO. : 6,985,243 B1

DATED : January 10, 2006

INVENTOR(S) : Kazutaka Matsueda

Page 1 of 12

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 8:

Line 23, "data indicative" should read -- data is indicative --.

COLUMN 9:

Lines 60 and 66, "is" should be deleted.

COLUMN 13:

Claim 1 should read:

1. A server apparatus adapted to communicate with at least one client, each client including an image storage unit having a spool function, the image storage unit for storing print data of a print job, and a printer via a network, comprising:

 image storage means for storing the print data of the print job to be executed according to a print request from a client;

 order management means for managing a print order of the print job to be executed according to the print request from the client;

 transmission means for transmitting transmission permission information to the client based on the print order managed by said order management means, the transmission permission information indicating that the print data may be transmitted to said printer, such that the client directly transmits the print data to the printer without intervention of the server apparatus if the spool function of the image storage unit of said client is selected by a user;

 determination means for determining whether a message, which indicates that the printing process of the print data has finished, is received from the client within a predetermined time in response to the transmission permission information; and

 control means for transmitting the print data of the print job of the print order from said image storage means instead of the client to the printer when said determination means determines that the message is not received.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,985,243 B1

No. of add'l. copies
@ 30¢ per page

MAR - 9 2007



UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,985,243 B1
DATED : January 10, 2006
INVENTOR(S) : Kazutaka Matsueda

Page 2 of 12

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 14:

Line 35, "which" should read -- with --;

Claim 4 should read:

4. A print managing method for a server apparatus adapted to communicate with at least one client, each client including an image storage unit having a spool function, the image storage unit for storing print data of a print job, and a printer via a network, comprising:

an image storage step of storing print data of a print job, to be executed according to a print request from a client, in image storage means;

an order management step of managing a print order of the print job to be executed according to the print request from the client;

a transmission step of transmitting transmission permission information to the client based on the print order managed at said order management step, the transmission permission information indicating that the print data may be transmitted to the printer, such that the client directly transmits the print data to the printer without intervention of the server apparatus if the spool function of the image storage unit of said client is selected by a user;

a determination step of determining whether a message, which indicates that the printing process of the print data has finished is received from the client within a predetermined time in response to the transmission permission information; and

a control step of transmitting the print data of the print job of the print order from the image storage means instead of the client to the printer when it is determined in said determination step that the message is not received.

Claim 7 should read:

7. A computer readable storage medium storing a program for implementing a print managing method for a server apparatus adapted to communicate with at least one client, each client including an image storage unit having a spool function, the image storage unit for storing print data of a print job, and a printer via a network, wherein the method comprises:

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,985,243 B1

No. of add'l. copies
@ 30¢ per page

MAR - 9 2007

→ _____

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,985,243 B1

DATED : January 10, 2006

INVENTOR(S) : Kazutaka Matsueda

Page 3 of 12

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

an image storage step of storing print data of a print job, to be executed according to a print request from the client, in image storage means;

an order management step of managing a print order of the print job to be executed according to the print request from the client;

a transmission step of transmitting transmission permission information to the client based on the print order managed at said order management step, the transmission permission information indicating that the print data may be transmitted to the printer, such that the client directly transmits the print data to the printer without intervention of the server apparatus if the spool function of the image storage unit of said client is selected by a user;

a determination step of determining whether a message which indicates that the printing process of the print data stored in the image storage unit has finished is received from the client within a predetermined time in response to the transmission permission information; and

a control step of transmitting the print data of the print job of the print order from the image storage means instead of the client to the printer when it is determined in said determination step that the message is not received.

Claim 8 should read:

8. An information processing apparatus as a client, including a storage unit having a spool function, that communicates with a server apparatus, which manages a print order and has a spool unit for storing print data, and a printer via a network, comprising:

sending means for sending job information, which does not include print data, to the server apparatus so that the server apparatus manages a print order according to the job information;

image storage means for storing print data of a print job corresponding to the job information so that the information processing apparatus may directly transmit the print data to the printer without intervention of the server apparatus if the spool function of the image storage unit of said client is selected by a user;

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,985,243 B1

No. of add'l. copies
@ 30¢ per page

MAR - 9 2007



UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,985,243 B1

DATED : January 10, 2006

INVENTOR(S) : Kazutaka Matsueda

Page 4 of 12

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

selection means for causing a user to select one of a spool function of said image storage means and a spool function of the server apparatus via a user interface, which is adapted to store the print data of the print job to be executed according to the print request to the server apparatus;

determination means for determining whether the spool function of said image storage means is selected or the spool function of the server apparatus is selected by said selection means;

control means for, if it is determined by said determination means to use the spool function of the server apparatus, transmitting the print data to the server apparatus, whereas, if it is determined by said determination means to use the spool function of said image storage means, controlling said image storage means to store the print data and controlling said sending means to send the job information;

receiving means for receiving transmission permission information from the server apparatus indicating that the print data may be transmitted to the printer when the print data is stored in said image storage means; and

transmission means for transmitting the print data to the printer when said receiving means receives the transmission permission information from the server apparatus.

COLUMN 15:

Claim 11 should read:

11. A print managing method for an information processing apparatus as a client, including a storage unit having a spool function, that communicates with a server apparatus, which manages a print order and has a spool unit for storing print data, and a printer via a network, comprising:

a sending step of sending job information, which does not include print data, to the server apparatus so that the server apparatus manages a print order according to the job information;

an image step of storing print data of a print job corresponding to the job information so that the information processing apparatus may directly transmit the print data to the printer

MAILING ADDRESS OF SENDER:

PATENT NO. 6,985,243 B1

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

No. of add'l. copies
@ 30¢ per page

Form PTO 1050 (Rev. 3-82)

119449 (Form#30)

MAR -> 9 2007

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

Staple
Here
Only!

PRINTER'S TRIM LINE

PATENT NO. : 6,985,243 B1

DATED : January 10, 2006

INVENTOR(S) : Kazutaka Matsueda

Page 5 of 12

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

without intervention of the server apparatus if the spool function of the image storage unit of said client is selected by a user;

a selection step of causing a user to select one of a spool function of said image storage means and a spool function of the server apparatus via a user interface, which is adapted to store the print data of the print job to be executed according to the print request to the server apparatus;

a determination step of determining whether the spool function of said image storage means is selected or the spool function of the server apparatus is selected by said selection means;

a control step of, if it is determined by said determination means to use the spool function of the server apparatus, transmitting the print data to the server apparatus, whereas, if it is determined by said determination means to use the spool function of said image storage means, controlling said image storage means to store the print data and controlling said sending means to send the job information;

a receiving step of receiving transmission permission information from the server apparatus indicating that the print data may be transmitted to the printer when the print data is stored in said image storage means; and

a transmission step for transmitting the print data to the printer when said receiving means receives the transmission permission information from the server apparatus.

COLUMN 16:

Claim 14 should read:

14. A computer readable medium storing a program for implementing a print managing method for an information processing apparatus as a client, including a storage unit having a spool function, that communicates with a server apparatus, which manages a print order and has a spool unit for storing print data, and a printer via a network, comprising:

a sending step of sending job information, which does not include print data, to the server apparatus so that the server apparatus manages a print order according to the job information;

MAILING ADDRESS OF SENDER:

PATENT NO. 6,985,243 B1

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

No. of add'l. copies
@ 30¢ per page

Form PTO 1050 (Rev. 3-82)

119449 (Form#30)

→
MAR - 9 2006

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

Staple
Here
Only!

PRINTER'S TRIM LINE

PATENT NO. : 6,985,243 B1
DATED : January 10, 2006
INVENTOR(S) : Kazutaka Matsueda

Page 6 of 12

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

an image step of storing print data of a print job corresponding to the job information so that the information processing apparatus may directly transmit the print data to the printer without intervention of the server apparatus if the spool function of the image storage unit of said client is selected by a user;

a selection step of causing a user to select one of a spool function of said image storage means and a spool function of the server apparatus via a user interface, which is adapted to store the print data of the print job to be executed according to the print request to the server apparatus;

a determination step of determining whether the spool function of said image storage means is selected or the spool function of the server apparatus is selected by said selection means;

a control step of, if it is determined by said determination means to use the spool function of the server apparatus, transmitting the print data to the server apparatus, whereas, if it is determined by said determination means to use the spool function of said image storage means, controlling said image storage means to store the print data and controlling said sending means to send the job information;

a receiving step of receiving transmission permission information from the server apparatus indicating that the print data may be transmitted to the printer when the print data is stored in said image storage means; and

a transmission step of transmitting the print data to the printer when said receiving means receives the transmission permission information from the server apparatus.

COLUMN 17:

Claim 15 should read:

15. An information processing apparatus as a client including an image storage unit having a spool function, that communicates with a server apparatus, which manages a print order and has a spool unit for storing print data, and a printer via a network, comprising:

image storage means for storing print data of a print job to be executed according to a print request so that the information processing apparatus directly transmits the print data to

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,985,243 B1

No. of add'l. copies
@ 30¢ per page

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

Staple
Here
Only!

PRINTER'S TRIM LINE

PATENT NO. : 6,985,243 B1
DATED : January 10, 2006
INVENTOR(S) : Kazutaka Matsueda

Page 7 of 12

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

the printer without intervention of the server apparatus if the spool function of the said client is selected by a user;

determination means for determining to use one of a spool function of said image storage means and a spool function of the server apparatus based on a condition of said image storage means, the spool function being adapted to store the print data of the print job to be executed according to the print request to the server apparatus;

control means for, if said determination means determines to use the spool function of the server apparatus, transmitting the print data to the server apparatus, such that the server apparatus directly transmits the print data to the printer, whereas, if said determination means determines to use the spool function of said image storage means, controlling said image storage means to store the print data;

receiving means for receiving transmission permission information from the server apparatus indicating the print data may be transmitted to the printer when the print data is stored in said image storage means; and

transmission means for transmitting the print data to the printer when said receiving means receives the transmission permission information from the server apparatus.

Claim 18 should read:

18. A print managing method for an information processing apparatus as a client including an image storage unit having a spool function, that communicates with a server apparatus, which manages a print order and has a spool unit for storing print data, and a printer via a network, comprising:

an image storage step of storing print data of a print job to be executed according to a print request so that the information processing apparatus directly transmits the print data to the printer without intervention of the server apparatus, in image storage step, if the spool function of the said client is selected by a user;

a determination step of determining to use one of a spool function of said image storage step and a spool function of the server apparatus based on a condition of said image

MAILING ADDRESS OF SENDER:

PATENT NO. 6,985,243 B1

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

No. of add'l. copies
@ 30¢ per page

Form PTO 1050 (Rev. 3-82)

119449 (Form#30)

→
MAR - 9 2006

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,985,243 B1

DATED : January 10, 2006

INVENTOR(S) : Kazutaka Matsueda

Page 8 of 12

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

storage step, the spool function being adapted to store the print data of the print job to be executed according to the print request to the server apparatus;

a control step of, if said determination step determines to use the spool function of the server apparatus, transmitting the print data to the server apparatus, such that the server apparatus directly transmits the print data to the printer, whereas, if said determination step determines to use the spool function of said image storage means, controlling said image storage step to store the print data;

a receiving step of receiving transmission permission information from the server apparatus indicating the print data may be transmitted to the printer when the print data is stored in said image storage step; and

a transmission step of transmitting the print data to the printer when said receiving step receives the transmission permission information from the server apparatus.

COLUMN 18:

Claim 21 should read:

21. A computer readable medium storing a program for implementing a print method for an information processing apparatus as a client including an image storage unit having a spool function, that communicates with a server apparatus, which manages a print order and has a spool unit for storing print data, and a printer via a network, comprising:

an image storage step of storing print data of a print job to be executed according to a print request so that the information processing apparatus directly transmits the print data to the printer without intervention of the server apparatus, in image storage means, if the spool function of the said client is selected by a user;

a determination step of determining to use one of a spool function of said image storage step and a spool function of the server apparatus based on a condition of said image storage step, the spool function being adapted to store the print data of the print job to be executed according to the print request to the server apparatus;

a control step of, if said determination step determines to use the spool function of the server apparatus, transmitting the print data to the server apparatus, such that the server

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,985,243 B1

No. of add'l. copies
@ 30¢ per page

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

Staple
Here
Only!

PRINTER'S TRIM LINE

PATENT NO. : 6,985,243 B1
DATED : January 10, 2006
INVENTOR(S) : Kazutaka Matsueda

Page 9 of 12

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

apparatus directly transmits the print data to the printer, whereas, if said determination step determines to use the spool function of said image storage step, controlling said image storage step to store the print data;

a receiving step of receiving transmission permission information from the server apparatus indicating the print data may be transmitted to the printer when the print data is stored in said image storage step; and

a transmission step of transmitting the print data to the printer when said receiving means receives the transmission permission information from the server apparatus.

Claim 22 should read:

22. An information processing apparatus as a client including an image storage unit having a spool function, that communicates with a server apparatus, which manages a print order and has a spool unit for storing a print job and intermediate data of the print job, and a printer via a network, comprising:

image storage means for storing the print job and the intermediate data of the print job to be executed according to a print request such that the information processing apparatus directly transmits the print job to the printer without intervention of the server apparatus if the spool function of the said client is selected by a user;

list acquisition means for acquiring a list of print jobs managed by the server apparatus;

job designation means for designating a print job to be previewed based on the list of print jobs acquired by said list acquisition means;

determination means for determining whether the intermediate data of the print job designated by said job designation means is stored in said image storage means or in the spool unit of the server apparatus;

intermediate data acquisition means for, if it is determined by said determination means that the intermediate data of the print job designated by said job designation means is stored in said image storage means, reading the intermediate data from said image storage means, whereas, if it is determined by said determination means that the intermediate data is

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,985,243 B1

No. of add'l. copies
@ 30¢ per page

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

Staple
Here
Only!

PRINTER'S TRIM LINE

PATENT NO. : 6,985,243 B1

DATED : January 10, 2006

INVENTOR(S) : Kazutaka Matsueda

Page 10 of 12

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

stored in the server apparatus, downloading the intermediate data from the server apparatus; and;

control means for displaying a preview image based on the intermediate data acquired by said intermediate data acquisition means.

COLUMN 19:

Claim 26 should read:

26. A print managing method for an information processing apparatus as a client including an image storage unit having a spool function, that communicates with a server apparatus, which manages a print order and has a spool unit for storing a print job and intermediate data of the print job, and a printer via a network, comprising:

an image storage step of storing the print job and the intermediate data of the print job to be executed according to a print request such that the information processing apparatus directly transmits the print job to the printer without intervention of the server apparatus if the spool function of the said client is selected by a user;

a list acquisition step of acquiring a list of print jobs managed by the server apparatus;

a job designation step of designating a print job to be previewed based on the list of print jobs acquired by said list acquisition means;

a determination step of determining whether the intermediate data of the print job designated by said job designation step is stored in said image storage step or in the spool unit of the server apparatus;

an intermediate data acquisition step of, if it is determined by said determination step that the intermediate data of the print job designated by said job designation step is stored in said image storage step, reading the intermediate data from said image storage step, whereas, if it is determined by said determination step that the intermediate data is stored in the server apparatus, downloading the intermediate data from the server apparatus; and

a control step of displaying a preview image based on the intermediate data acquired by said intermediate data acquisition step.

MAILING ADDRESS OF SENDER:

PATENT NO. 6,985,243 B1

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

No. of add'l. copies
@ 30¢ per page

Form PTO 1050 (Rev. 3-82)

119449 (Form#30)



MAR - 9 2007

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

Staple
Here
Only!

PRINTER'S TRIM LINE

PATENT NO. : 6,985,243 B1
DATED : January 10, 2006
INVENTOR(S) : Kazutaka Matsueda

Page 11 of 12

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 20:

Claim 30 should read:

30. A computer readable storage medium storing a program for implementing a print managing method for an information processing apparatus as a client including an image storage unit having a spool function, that communicates with a server apparatus, which manages a print order and has a spool unit for storing a print job and intermediate data of the print job, and a printer via a network, comprising:

an image storage step of storing the print job and the intermediate data of the print job to be executed according to a print request such that the information processing apparatus directly transmits the print job to the printer without intervention of the server apparatus if the spool function of the said client is selected by a user;

a list acquisition step of acquiring a list of print jobs managed by the server apparatus;

a job designation step of designating a print job to be previewed based on the list of print jobs acquired by said list acquisition step;

a determination step of determining whether the intermediate data of the print job designated by said job designation step is stored in said image storage step or in the spool unit of the server apparatus;

an intermediate data acquisition step of, if it is determined by said determination step that the intermediate data of the print job designated by said job designation step is stored in said image storage step, reading the intermediate data from said image storage step, whereas, if it is determined by said determination step that the intermediate data is stored in the server apparatus, downloading the intermediate data from the server apparatus; and

a control step of displaying a preview image based on the intermediate data acquired by said intermediate data acquisition step.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,985,243 B1

No. of add'l. copies
@ 30¢ per page

Form PTO 1050 (Rev. 3-82)
119449 (Form#30)

→ _____

MAR - 9 2007

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

Staple
Here
Only!

PRINTER'S TRIM LINE

PATENT NO. : 6,985,243 B1

DATED : January 10, 2006

INVENTOR(S) : Kazutaka Matsueda

Page 12 of 12

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 22:

Line 9, "data" should read -- information --.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,985,243 B1

No. of add'l. copies
@ 30¢ per page

Form PTO 1050 (Rev. 3-82)

119449 (Form#30)

→ _____

MAR - 9 2007.